

小河川水質検査結果 (調査地点1~16)

年度	河川・用水名				梯 川												前 川			柴山湯
	調査地点番号				1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
	採水地点名				大杉谷川	大杉谷川	西俣川	滓上川	鍋谷川	鍋谷川	八丁川	西川排水路	九龍橋川	八日市排水路	九龍橋川	古川	栗津川	串川	石橋川	馬渡川
	項目	単位	値	測定回数	桜橋	那殿大橋	宮前橋	滓上橋	下浦橋	小野町橋	八丁川橋	上牧ポンプ場	市農協若杉支所横	コマツ小松工場横	北陸本線高架下	古川アーチ橋	栗津橋	御太子橋	石川橋	馬渡橋
H13	透視度	度	平均値	4	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0
	DO	mg/l	平均値		11.2	10.9	11.0	11.2	10.8	10.8	10.8	10.5	9.3	5.5	9.1	4.7	10.4	9.1	5.4	8.4
	pH	-	平均値		7.1	7.0	7.0	7.0	7.0	7.0	7.2	7.0	6.8	7.0	7.1	7.1	6.9	7.0	6.9	6.6
	BOD	mg/l	平均値		0.6	0.7	0.5	0.6	0.9	1.0	1.3	2.4	4.5	5.5	4.3	2.1	1.7	4.1	2.8	4.9
		mg/l	75%値		0.5	0.8	0.5	0.5	1.1	1.1	1.2	2.4	4.9	5.7	4.4	2.7	2.5	4.4	2.9	4.6
	SS	mg/l	平均値		0.4	1.8	0.5	2.1	4.7	11.5	10.5	10.6	10.3	22.0	15.8	7.6	5.8	9.7	8.7	6.2
	大腸菌	MPN/100ml	平均値		578	2,452	1,082	9,100	34,773	91,700	76,325	79,225	288,000	276,250	448,000	10,950	51,725	17,575	97,000	109,750
H14	透視度	度	平均値	4	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	
	DO	mg/l	平均値		11.3	11.3	10.8	11.3	10.8	10.5	11.1	10.5	8.5	6.5	7.9	6.0	10.0	10.7	4.4	7.9
	pH	-	平均値		7.4	7.3	7.1	7.3	7.3	7.2	7.4	7.2	6.8	7.2	7.0	7.2	7.2	7.8	7.1	6.7
	BOD	mg/l	平均値		0.5	0.5	0.5	0.6	0.8	1.1	0.7	1.6	4.6	6.4	5.6	2.0	2.0	3.4	4.7	3.4
		mg/l	75%値		0.5	0.5	0.5	0.6	0.9	1.1	0.8	1.9	4.8	6.0	6.2	1.9	2.0	4.1	6.1	4.0
	SS	mg/l	平均値		2.6	3.0	0.8	5.7	12.6	30.7	23.3	17.6	21.0	26.0	21.5	6.7	18.1	12.5	9.5	9.8
	大腸菌	MPN/100ml	平均値		2,358	1,333	1,458	4,900	36,125	30,475	28,475	49,500	221,500	423,000	302,250	86,725	355,250	31,125	221,500	104,000
H15	透視度	度	平均値	4	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	
	DO	mg/l	平均値		11.2	11.0	11.0	11.5	10.7	10.8	10.8	9.6	7.4	4.8	8.6	4.7	10.5	9.0	5.8	7.7
	pH	-	平均値		7.4	7.3	7.2	7.3	7.2	7.1	7.3	7.1	6.9	7.1	7.1	7.3	7.1	7.4	7.0	6.7
	BOD	mg/l	平均値		0.5	0.7	0.5	0.5	0.7	0.9	1.2	3.0	7.4	5.9	6.1	2.8	1.7	2.6	4.2	3.7
		mg/l	75%値		0.5	0.6	0.5	0.5	0.7	0.8	1.1	2.9	7.2	6.3	6.9	2.9	2.5	2.4	5.4	4.0
	SS	mg/l	平均値		1.6	2.4	1.2	3.4	13.8	18.5	20.1	22.0	10.8	17.5	14.3	6.7	9.5	13.9	15.2	12.7
	大腸菌	MPN/100ml	平均値		1,723	9,225	6,850	2,650	20,300	11,975	20,000	97,725	487,000	2,548,250	779,750	43,975	48,500	23,575	210,750	87,750
H16	透視度	度	平均値	4	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	
	DO	mg/l	平均値		11.3	11.4	11.0	11.4	10.6	11.0	10.8	10.3	8.2	5.7	9.3	5.3	10.6	10.1	5.7	9.6
	pH	-	平均値		7.5	7.3	7.3	7.4	7.3	7.3	7.4	7.3	7.0	7.1	7.2	7.2	7.2	7.6	7.1	6.8
	BOD	mg/l	平均値		0.6	0.6	0.5	0.6	0.8	0.9	1.0	2.6	5.8	5.0	4.6	2.9	1.7	3.1	2.8	3.3
		mg/l	75%値		0.6	0.6	0.5	0.6	0.8	0.9	1.0	2.6	5.8	5.0	4.6	2.9	1.7	3.1	2.8	3.3
	SS	mg/l	平均値		1.1	3.1	1.6	6.6	8.3	13.6	13.6	10.8	13.0	12.3	14.2	10.0	4.1	14.4	8.4	10.6
	大腸菌	MPN/100ml	平均値		903	20,608	1,178	2,848	5,025	23,450	37,250	78,750	513,250	884,750	270,750	66,250	108,975	20,550	360,750	78,500
亜鉛	mg/l	平均値	-	0.003	-	-	-	-	-	-	-	-	-	-	-	-	0.030	0.019		
H17	透視度	度	平均値	4	30.0	28.8	30.0	30.0	30.0	30.0	26.7	30.0	27.0	30.0	30.0	30.0	30.0	30.0	30.0	
	DO	mg/l	平均値		11.3	11.2	10.9	11.4	10.5	10.7	10.9	10.3	7.7	5.8	9.0	5.1	10.4	11.4	5.6	8.3
	pH	-	平均値		7.4	7.2	7.3	7.4	7.3	7.2	7.4	7.3	7.0	7.2	7.1	7.2	7.2	7.7	7.1	6.8
	BOD	mg/l	平均値		0.6	0.7	0.7	0.6	2.1	2.3	1.2	2.8	7.0	3.8	3.9	4.3	1.9	3.9	4.8	4.5
		mg/l	75%値		0.6	0.9	0.7	0.7	1.6	1.3	1.3	3.5	6.9	3.6	4.0	3.9	2.5	4.7	4.9	5.1
	SS	mg/l	平均値		1.0	1.5	1.0	2.0	10.4	13.5	19.8	14.1	16.5	19.0	18.8	12.3	5.2	12.2	14.6	6.9
	大腸菌	MPN/100ml	平均値		9,483	2,295	12,750	12,448	50,075	69,725	62,250	140,750	425,000	474,750	432,250	135,225	112,475	17,575	270,000	377,750
亜鉛	mg/l	平均値	-	0.004	-	-	-	-	-	-	-	-	-	-	-	-	0.044	0.028		

小河川水質検査結果 (調査地点1~16)

年度	河川・用水名				梯 川										前 川			柴山湯			
	調査地点番号				1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
	採水地点名				大杉谷川	大杉谷川	西俣川	滓上川	鍋谷川	鍋谷川	八丁川	西川排水路	九龍橋川	八日市排水路	九龍橋川	古川	栗津川	串川	石橋川	馬渡川	
	項目	単位	値	測定回数	桜橋	那殿大橋	宮前橋	滓上橋	下浦橋	小野町橋	八丁川橋	上牧ポンプ場	市農協若杉支所横	コマツ小松工場横	北陸本線高架下	古川アーチ橋	栗津橋	御太子橋	石川橋	馬渡橋	
H18	透視度	度	平均値	4	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	
	DO	mg/l	平均値		10.9	11.2	10.9	12.0	10.9	11.3	10.4	10.2	7.7	5.0	9.1	4.8	10.5	10.7	6.1	9.5	
	pH	-	平均値		7.4	7.2	7.3	7.3	7.3	7.2	7.4	7.1	7.0	7.1	7.0	7.2	7.1	7.9	7.0	6.7	
	BOD	mg/l	平均値		0.6	0.6	0.6	0.6	0.8	1.0	0.9	0.9	2.2	7.3	3.8	2.1	3.1	1.6	3.5	2.9	2.9
		mg/l	75%値		0.6	0.7	0.6	0.7	0.9	1.0	1.0	2.7	8.3	3.6	2.3	3.6	1.8	3.9	3.2	2.7	
	SS	mg/l	平均値		0.6	2.0	0.4	2.6	5.9	9.5	12.3	14.3	9.2	12.9	6.2	12.9	3.9	9.7	6.4	10.3	
	大腸菌	MPN/100ml	平均値		2,318	14,181	7,470	10,933	10,450	13,100	34,000	112,750	292,250	834,750	105,500	218,250	70,250	11,825	356,500	72,500	
亜鉛	mg/l	平均値	-	0.001	-	-	-	-	-	-	-	-	-	-	-	-	0.036	0.017			
H19	透視度	度	平均値	4	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0		
	DO	mg/l	平均値		11.1	11.1	11.1	10.9	10.8	10.6	11.1	11.2	6.9	3.3	7.2	3.4	10.4	10.4	5.0	9.0	
	pH	-	平均値		7.5	7.4	7.3	7.4	7.3	7.3	7.5	7.3	7.0	7.1	7.0	7.1	7.3	7.8	7.2	6.7	
	BOD	mg/l	平均値		0.9	0.8	0.9	0.9	0.9	1.0	1.0	2.1	6.2	6.1	3.9	3.8	1.7	4.1	3.9	3.6	
		mg/l	75%値		1.0	0.7	0.8	1.1	0.8	0.8	1.0	2.1	6.5	4.1	3.0	4.0	1.5	5.6	4.3	3.4	
	SS	mg/l	平均値		0.8	0.8	0.5	3.2	5.1	10.4	9.5	13.5	6.9	10.6	10.2	9.3	4.0	14.3	6.7	6.3	
	大腸菌	MPN/100ml	平均値		3,933	2,532	4,653	2,808	15,175	19,275	13,050	40,225	230,500	1,711,750	414,725	42,425	50,975	30,700	241,750	42,575	
亜鉛	mg/l	平均値	-	0.002	-	-	-	-	-	-	-	-	-	-	-	-	0.036	0.024			
H20	透視度	度	平均値	4	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0		
	DO	mg/l	平均値		11.2	11.2	10.8	11.3	10.8	10.8	10.5	9.9	8.2	5.8	8.7	4.4	10.3	8.2	6.8	9.4	
	pH	-	平均値		7.5	7.2	7.2	7.4	7.2	7.2	7.3	7.1	6.9	7.2	7.1	7.1	7.3	7.0	7.0	6.7	
	BOD	mg/l	平均値		0.6	0.8	0.7	0.8	0.9	1.1	1.2	1.7	5.0	2.2	2.8	3.3	1.4	3.8	3.0	2.7	
		mg/l	75%値		0.5	0.8	0.7	0.8	1.1	1.2	1.1	1.9	6.4	2.3	3.4	3.1	1.5	4.1	3.9	2.2	
	SS	mg/l	平均値		1.0	8.4	1.0	3.5	9.0	14.5	14.8	13.4	10.1	5.5	12.6	9.0	3.9	10.1	9.0	2.8	
	大腸菌	MPN/100ml	平均値		5,450	13,023	12,150	21,248	81,325	31,975	102,475	76,500	1,097,500	67,750	273,050	59,975	104,550	218,750	102,500	110,250	
亜鉛	mg/l	平均値	-	0.003	-	-	-	-	-	-	-	-	-	-	-	-	0.038	0.019			
H21	透視度	度	平均値	4	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0		
	DO	mg/l	平均値		11.0	10.7	11.0	11.3	10.8	10.8	11.0	9.3	7.4	5.3	7.3	5.0	10.2	8.0	6.2	9.0	
	pH	-	平均値		7.4	7.3	7.2	7.4	7.1	7.1	7.3	7.1	6.9	7.1	7.0	7.0	7.2	6.9	7.0	6.6	
	BOD	mg/l	平均値		0.6	0.6	0.6	0.7	0.9	1.0	0.9	1.9	6.0	2.6	4.0	3.0	1.2	3.7	2.4	2.6	
		mg/l	75%値		0.6	0.6	0.5	0.6	0.9	1.0	0.9	1.4	6.6	3.2	3.7	3.4	1.6	4.3	3.2	3.3	
	SS	mg/l	平均値		0.5	2.1	1.1	3.5	12.1	15.5	14.6	18.8	11.0	7.8	15.2	10.0	3.9	9.9	7.3	5.5	
	大腸菌	MPN/100ml	平均値		2,658	5,773	5,358	3,350	35,373	27,575	22,500	87,750	697,000	370,975	194,250	75,325	54,725	855,975	146,225	28,650	
亜鉛	mg/l	平均値	-	0.005	-	-	-	-	-	-	-	-	-	-	-	-	0.037	0.019			

小河川水質検査結果 (調査地点1~16)

年度	河川・用水名				梯 川										前 川			柴山湯			
	調査地点番号				1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	
	採水地点名				大杉谷川	大杉谷川	西俣川	滓上川	鍋谷川	鍋谷川	八丁川	西川排水路	九龍橋川	八日市排水路	九龍橋川	古川	栗津川	串川	石橋川	馬渡川	
	項目	単位	値	測定回数	桜橋	那殿大橋	宮前橋	滓上橋	下浦橋	小野町橋	八丁川橋	上牧ポンプ場	市農協若杉支所横	コマツ小松工場横	北陸本線高架下	古川アーチ橋	栗津橋	御太子橋	石川橋	馬渡橋	
H22	透視度	度	平均値	4	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	30.0	
	DO	mg/l	平均値		10.6	11.2	10.5	11.1	10.5	10.7	10.6	10.2	9.9	6.1	9.5	4.2	10.8	8.2	6.3	10.0	
	pH	-	平均値		7.6	7.4	7.4	7.5	7.3	7.3	7.5	7.4	7.2	7.3	7.2	7.2	7.3	7.4	7.2	7.2	6.7
	BOD	mg/l	平均値		0.5	0.6	0.5	0.7	0.6	0.7	0.8	1.3	2.5	1.8	1.4	2.2	1.1	2.8	2.0	2.0	2.3
		mg/l	75%値		0.5	0.5	0.5	0.5	0.5	0.6	0.9	1.5	3.9	1.8	1.5	2.6	1.1	3.0	2.1	2.1	2.5
	SS	mg/l	平均値		1.0	1.0	1.0	1.5	4.0	8.3	10.0	25.5	5.8	7.5	4.8	7.0	3.8	7.0	4.8	4.8	4.0
	大腸菌	MPN/100ml	平均値		3,052	3,015	5,083	2,623	21,750	67,800	28,325	67,750	43,000	605,975	59,550	41,525	111,000	456,625	110,250	33,000	
亜鉛	mg/l	平均値	-	0.002	-	-	-	-	-	-	-	-	-	-	-	-	-	0.044	0.024		
H23	透視度	度	平均値	4	30.0	30.0	30.0	30.0	30.0	26.0	30.0	30.0	30.0	30.0	30.0	30.0	28.3	26.0	26.5		
	DO	mg/l	平均値		11.4	11.2	11.3	0.7	10.4	10.5	10.9	10.4	11.1	5.4	11.4	3.4	11.3	11.0	7.3	11.3	
	pH	-	平均値		7.6	7.4	7.3	7.5	7.5	7.4	7.5	7.2	7.3	7.2	7.5	7.1	7.6	8.0	7.2	6.8	
	BOD	mg/l	平均値		0.6	0.7	0.9	0.7	0.9	0.9	1.1	2.6	1.1	2.9	3.0	2.4	2.3	2.8	2.5	2.3	
		mg/l	75%値		0.5	0.6	1.0	0.7	0.8	1.0	1.3	2.7	1.1	3.0	3.3	2.3	2.7	2.5	2.7	2.4	
	SS	mg/l	平均値		1.0	3.3	1.0	2.0	10.8	16.5	10.5	10.3	3.5	12.8	8.3	16.3	6.5	10.3	49.0	13.0	
	大腸菌	MPN/100ml	平均値		1,032	3,209	930	4,170	20,670	14,420	6,775	16,775	21,383	497,500	159,075	6,920	16,050	3,125	31,225	8,475	
亜鉛	mg/l	平均値	-	0.005	-	-	-	-	-	-	-	-	-	-	-	-	0.094	0.025			
H24	透視度	度	平均値	4	30.0	30.0	30.0	30.0	26.5	23.5	27.0	24.3	29.3	21.3	21.3	29.5	30.0	27.5	28.8	19.3	
	DO	mg/l	平均値		10.7	10.9	10.7	11.0	10.2	10.2	10.5	10.1	10.7	6.1	9.3	5.0	9.9	9.0	6.5	8.6	
	pH	-	平均値		7.4	7.3	7.2	7.4	7.3	7.2	7.3	7.2	7.2	7.3	7.2	7.1	7.2	7.1	7.2	6.6	
	BOD	mg/l	平均値		0.6	0.5	0.6	0.7	0.7	1.3	1.1	2.7	1.1	3.0	2.9	2.1	2.1	2.4	2.2	3.5	
		mg/l	75%値		0.6	0.5	0.5	0.7	0.7	1.3	1.3	2.0	1.4	3.2	2.7	2.1	2.4	2.6	2.2	3.4	
	SS	mg/l	平均値		3.3	4.8	2.8	4.8	13.0	25.0	16.3	21.0	6.3	31.0	67.8	10.8	9.0	10.3	7.8	26.5	
	大腸菌	MPN/100ml	平均値		6,910	1,098	4,820	8,888	4,825	14,450	23,700	22,775	11,750	82,750	65,725	4,875	55,975	41,608	32,575	24,975	
亜鉛	mg/l	平均値	-	0.018	-	-	-	-	-	-	-	-	-	-	-	-	0.034	0.052			
H25	透視度	度	平均値	4	30.0	30.0	30.0	30.0	26.3	24.8	30.0	30.0	30.0	30.0	28.8	30.0	27.5	28.5	26.0		
	DO	mg/l	平均値		10.7	11.8	8.6	11.2	11.0	10.8	11.0	11.3	12.2	6.5	9.5	3.2	10.4	8.2	7.9	8.9	
	pH	-	平均値		7.4	7.2	7.3	7.4	7.3	7.3	7.4	7.2	7.7	8.2	7.3	7.1	7.3	7.0	7.2	6.6	
	BOD	mg/l	平均値		0.8	0.7	0.6	1.0	1.3	1.2	0.9	1.6	1.9	3.9	2.5	5.0	2.4	1.9	2.8	2.7	
		mg/l	75%値		0.6	0.7	0.5	1.0	1.8	1.3	0.8	1.7	1.9	3.6	2.3	5.0	2.9	1.7	3.3	1.9	
	SS	mg/l	平均値		1.3	4.8	1.5	2.5	21.5	22.3	11.5	9.5	4.0	13.5	11.8	15.0	5.3	13.0	16.5	28.0	
	大腸菌	MPN/100ml	平均値		1,438	2,279	653	1,162	10,368	27,283	7,848	21,780	15,873	47,325	114,475	15,908	17,000	5,350	38,200	40,225	
亜鉛	mg/l	平均値	-	0.004	-	-	-	-	-	-	-	-	-	-	-	-	0.034	0.040			
H26	透視度	度	平均値	4	>30	>30	>30	>30	>26	>23.8	>23.8	>25.8	>30	>30	>27.8	>28.5	>30	>27.8	>28.5	>30	
	DO	mg/l	平均値		10.6	10.9	10.6	11.1	10.1	10.3	10.3	10.2	10.6	7.6	9.4	3.9	10.2	8.2	9.0	9.2	
	pH	-	平均値		7.2	7.2	7.2	7.4	7.3	7.3	7.3	7.2	7.3	7.5	7.2	7.0	7.3	7.1	7.2	6.6	
	BOD	mg/l	平均値		<0.85	<0.73	<0.75	0.98	<1.03	2.4	1.5	2.4	1.2	2.2	3.5	3.4	2.2	1.7	2.5	2.6	
		mg/l	75%値		0.8	0.6	1.0	0.8	1.3	1.7	1.8	2.6	1.3	2.6	3.1	3.6	2.5	1.6	2.4	2.7	
	SS	mg/l	平均値		2.5	5.8	<2.75	6.0	28.0	30.5	38.8	30.0	7.3	8.8	16.8	15.0	5.3	22.8	14.8	8.0	
	大腸菌	MPN/100ml	平均値		2,200	1,880	1,350	1,640	4,970	7,120	8,170	6,250	15,900	272,000	30,300	31,100	33,500	3,950	18,400	11,000	
亜鉛	mg/l	平均値	-	<0.004	-	-	-	-	-	-	-	-	-	-	-	-	0.027	0.014			